

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Black |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | White |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficary | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Brushed Silver |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
 Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
 Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
 Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
 npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Brushed Gold |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Black |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficary | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | White |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficary | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
 Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
 Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
 Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
 npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Brushed Silver |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficary | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



| | | | | | | | | |
|--------------|--------------|--------|--------|------|----------|---------|--|--|
| Power Switch | Color Switch | CRI>90 | SDCM<3 | IP20 | UGR < 19 | 5 YEARS | | |
|--------------|--------------|--------|--------|------|----------|---------|--|--|

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Brushed Gold |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct only |



PURATI PTY LTD

Unit 10, 80 O’Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Black |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
 Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
 Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
 Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
 npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | White |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Brushed Silver |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------------|
| Material | Aluminium, Microprism cover |
| Finish | Brushed Gold |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.
Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.
Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Black |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | White |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Brushed Silver |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 320

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


| | |
|----------|-----------------------|
| Material | Aluminium, Opal cover |
| Finish | Brushed Gold |
| IP | IP20 |
| Lifetime | L80/50,000h |
| Warranty | 5 years |

LED

| | |
|----------|--|
| LED Chip | Seoul |
| Lumen | 2400lm/ 1800lm |
| Efficacy | 100lm/W |
| CRI | >90 |
| CCT | 3000K/4000K Switch as standard, 6500K on request |
| SDCM | >3 |
| UGR | <19 (X=4H, Y=8H) |

ELECTRICAL

| | |
|--------------------|-------------------|
| Voltage | 220-240V |
| Power | 24/18/10W Switch |
| Driver(Build-in) | Phase Cut / DALI |
| Light distribution | Direct - Indirect |



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com