


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Black
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	DALI dimming

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Black
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	Phase Cut

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Black
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years


LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	1-10 V dimming

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Sliver
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	DALI dimming

Energy efficiency class class <C>



Power Switch	CRI>80	SDCM<3	IP20	5 YEARS
--------------	--------	--------	------	---------


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Sliver
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	Phase Cut

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	Sliver
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years


LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	1-10 V dimming

Energy efficiency class class <C>



Power Switch	CRI>80	SDCM<3	IP20	5 YEARS
--------------	--------	--------	------	---------

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	White
Fixture Material	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	DALI dimming

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	White
Fixture Materia	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	Phase Cut

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
 Tel: +61 2 8065 8181
 sales@purati.com


DESCRIPTION

StripLine Pendant 1200

A perfect blend of intensity, colour and direct for comfortable working environment

It's functional and minimal design with clean, elegant lines makes StripLine a timeless classic in office lighting. This series features various applications, a mix of different colour temperatures, direct and indirect lighting, high efficiency 135lm/W and smart functions.

Offer both DALI, Bluetooth dimming and comes with 5 year warranty.



QUICKINFO

GENERAL

Finish	White
Fixture Material	Powder Coated Aluminium, PC Diffuser
IP	IP20
Lifespan	L80/50,000h
Warranty	5 years

LED

Lumen	↑ 6010lm / 2900lm ↓
CRI	>80
CCT	3000k / 4000k / 6000k
SDCM	< 3
UGR	< 6
Beam Angle	↑ 115° / 60° ↓

ELECTRICAL

Voltage	200-240V
Power	↑ 36W / 24W ↓
Driver(Build-in)	1-10 V dimming

Energy efficiency class class <C>



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com